


Elementary Data Structures

Stacks, Queues, & Lists
Amortized analysis
Trees



The Stack ADT (§2.1.1)



- The **Stack** ADT stores arbitrary objects
- Insertions and deletions follow the last-in first-out scheme
- Think of a spring-loaded plate dispenser
- Main stack operations:
 - push(object)**: inserts an element
 - object pop()**: removes and returns the last inserted element
- Auxiliary stack operations:
 - object top()**: returns the last inserted element without removing it
 - integer size()**: returns the number of elements stored
 - boolean isEmpty()**: indicates whether no elements are stored

Applications of Stacks



- Direct applications
 - Page-visited history in a Web browser
 - Undo sequence in a text editor
 - Chain of method calls in the Java Virtual Machine or C++ runtime environment
- Indirect applications
 - Auxiliary data structure for algorithms
 - Component of other data structures

Array-based Stack (§2.1.1)

- A simple way of implementing the Stack ADT uses an array
- We add elements from left to right
- A variable t keeps track of the index of the top element (size is $t+1$)

```

Algorithm pop():
if isEmpty() then
    throw EmptyStackException
else
     $t \leftarrow t - 1$ 
    return  $S[t + 1]$ 

Algorithm push(o)
if  $t = S.length - 1$  then
    throw FullStackException
else
     $t \leftarrow t + 1$ 
     $S[t] \leftarrow o$ 
    
```



Growable Array-based Stack (§1.5)




- In a push operation, when the array is full, instead of throwing an exception, we can replace the array with a larger one
- How large should the new array be?
 - incremental strategy: increase the size by a constant c
 - doubling strategy: double the size

```

Algorithm push(o)
if  $t = S.length - 1$  then
     $A \leftarrow$  new array of size ...
    for  $i \leftarrow 0$  to  $t$  do
         $A[i] \leftarrow S[i]$ 
     $S \leftarrow A$ 
     $t \leftarrow t + 1$ 
     $S[t] \leftarrow o$ 
    
```

Comparison of the Strategies



- We compare the incremental strategy and the doubling strategy by analyzing the total time $T(n)$ needed to perform a series of n push operations
- We assume that we start with an empty stack represented by an array of size 1
- We call **amortized time** of a push operation the average time taken by a push over the series of operations, i.e., $T(n)/n$

Analysis of the Incremental Strategy



- We replace the array $k = n/c$ times
- The total time $T(n)$ of a series of n push operations is proportional to

$$n + c + 2c + 3c + 4c + \dots + kc =$$

$$n + c(1 + 2 + 3 + \dots + k) =$$

$$n + ck(k + 1)/2$$

- Since c is a constant, $T(n)$ is $O(n + k^2)$, i.e., $O(n^2)$
- The amortized time of a push operation is $O(n)$

Direct Analysis of the Doubling Strategy




- We replace the array $k = \log_2 n$ times
- The total time $T(n)$ of a series of n push operations is proportional to

$$n + 1 + 2 + 4 + 8 + \dots + 2^k =$$

$$n + 2^{k+1} - 1 = 2n - 1$$

- $T(n)$ is $O(n)$
- The amortized time of a push operation is $O(1)$

geometric series



Accounting Method Analysis of the Doubling Strategy




- The **accounting method** determines the amortized running time with a system of credits and debits
- We view a computer as a **coin-operated device** requiring 1 cyber-dollar for a constant amount of computing.
 - We set up a scheme for charging operations. This is known as an **amortization scheme**.
 - The scheme must give us always enough money to pay for the actual cost of the operation.
 - The total cost of the series of operations is no more than the total amount charged.
- (amortized time) \leq (total \$ charged) / (# operations)

Amortization Scheme for the Doubling Strategy



- Consider again the k phases, where each phase consisting of twice as many pushes as the one before.
- At the end of a phase we must have saved enough to pay for the array-growing push of the next phase.
- At the end of phase i we want to have saved i cyber-dollars, to pay for the array growth for the beginning of the next phase.



- We charge \$3 for a push. The \$2 saved for a regular push are "stored" in the second half of the array. Thus, we will have $2(i/2) = i$ cyber-dollars saved at then end of phase i .
- Therefore, each push runs in $O(1)$ amortized time; n pushes run in $O(n)$ time.

The Queue ADT (§2.1.2)



- The **Queue** ADT stores arbitrary objects
- Insertions and deletions follow the first-in first-out scheme
- Insertions are at the rear of the queue and removals are at the front of the queue
- Main queue operations:
 - `enqueue(object)`: inserts an element at the end of the queue
 - object `dequeue()`: removes and returns the element at the front of the queue
- Auxiliary queue operations:
 - object `front()`: returns the element at the front without removing it
 - integer `size()`: returns the number of elements stored
 - boolean `isEmpty()`: indicates whether no elements are stored
- Exceptions
 - Attempting the execution of `dequeue` or `front` on an empty queue throws an `EmptyQueueException`



Applications of Queues



- Direct applications
 - Waiting lines
 - Access to shared resources (e.g., printer)
 - Multiprogramming
- Indirect applications
 - Auxiliary data structure for algorithms
 - Component of other data structures

Singly Linked List

- A singly linked list is a concrete data structure consisting of a sequence of nodes
- Each node stores
 - element
 - link to the next node




Elementary Data Structures

13

Queue with a Singly Linked List

- We can implement a queue with a singly linked list
 - The front element is stored at the first node
 - The rear element is stored at the last node
- The space used is $O(n)$ and each operation of the Queue ADT takes $O(1)$ time



Elementary Data Structures

14

List ADT (§2.2.2)



- The List ADT models a sequence of **positions** storing arbitrary objects
- It allows for insertion and removal in the "middle"
- Query methods:
 - `isFirst(p)`, `isLast(p)`

Accessor methods:

- `first()`, `last()`
- `before(p)`, `after(p)`

Update methods:



- `replaceElement(p, o)`, `swapElements(p, q)`
- `insertBefore(p, o)`, `insertAfter(p, o)`
- `insertFirst(o)`, `insertLast(o)`
- `remove(p)`

Elementary Data Structures

15

Doubly Linked List

- A doubly linked list provides a natural implementation of the List ADT
- Nodes implement Position and store:
 - element
 - link to the previous node
 - link to the next node
- Special trailer and header nodes




Elementary Data Structures

16

Trees (§2.3)

- In computer science, a tree is an abstract model of a hierarchical structure
- A tree consists of nodes with a parent-child relation
- Applications:
 - Organization charts
 - File systems
 - Programming environments



Elementary Data Structures

17

Tree ADT (§2.3.1)



- We use positions to abstract nodes
- Generic methods:
 - `integer size()`
 - `boolean isEmpty()`
 - `objectIterator elements()`
 - `positionIterator positions()`
- Accessor methods:
 - `position root()`
 - `position parent(p)`
 - `positionIterator children(p)`
- Query methods:
 - `boolean isInternal(p)`
 - `boolean isExternal(p)`
 - `boolean isRoot(p)`
- Update methods:
 - `swapElements(p, q)`
 - `object replaceElement(p, o)`
- Additional update methods may be defined by data structures implementing the Tree ADT

Elementary Data Structures


18

Preorder Traversal (§2.3.2)



- A traversal visits the nodes of a tree in a systematic manner
- In a preorder traversal, a node is visited before its descendants
- Application: print a structured document

Algorithm *preOrder*(v)
visit(v)
for each child *w* of *v*
preorder(w)




Postorder Traversal (§2.3.2)



- In a postorder traversal, a node is visited after its descendants
- Application: compute space used by files in a directory and its subdirectories

Algorithm *postOrder*(v)
for each child *w* of *v*
postOrder(w)
visit(v)




Amortized Analysis of Tree Traversal



- Time taken in preorder or postorder traversal of an n -node tree is proportional to the sum, taken over each node v in the tree, of the time needed for the recursive call for v .
 - The call for v costs $\$(c_v + 1)$, where c_v is the number of children of v
 - For the call for v , charge one cyber-dollar to v and charge one cyber-dollar to each child of v .
 - Each node (except the root) gets charged twice: once for its own call and once for its parent's call.
 - Therefore, traversal time is $O(n)$.


Binary Trees (§2.3.3)

- A binary tree is a tree with the following properties:
 - Each internal node has two children
 - The children of a node are an ordered pair
- We call the children of an internal node left child and right child
- Alternative recursive definition: a binary tree is either
 - a tree consisting of a single node, or
 - a tree whose root has an ordered pair of children, each of which is a binary tree




Arithmetic Expression Tree

- Binary tree associated with an arithmetic expression
 - internal nodes: operators
 - external nodes: operands
- Example: arithmetic expression tree for the expression $(2 \times (a - 1) + (3 \times b))$



Decision Tree

- Binary tree associated with a decision process
 - internal nodes: questions with yes/no answer
 - external nodes: decisions
- Example: dining decision




Properties of Binary Trees

Notation

- n number of nodes
- e number of external nodes
- i number of internal nodes
- h height

Properties:

- $e = i + 1$
- $n = 2e - 1$
- $h \leq i$
- $h \leq (n - 1) / 2$
- $e \leq 2^h$
- $h \geq \log_2 e$
- $h \geq \log_2 (n + 1) - 1$




Inorder Traversal

- In an inorder traversal a node is visited after its left subtree and before its right subtree
- Application: draw a binary tree
 - $x(v)$ = inorder rank of v
 - $y(v)$ = depth of v


```

Algorithm inOrder( $v$ )
    if isInternal ( $v$ )
        inOrder (leftChild ( $v$ ))
    visit( $v$ )
    if isInternal ( $v$ )
        inOrder (rightChild ( $v$ ))
    
```



Euler Tour Traversal

- Generic traversal of a binary tree
- Includes a special cases the preorder, postorder and inorder traversals
- Walk around the tree and visit each node three times:
 - on the left (preorder)
 - from below (inorder)
 - on the right (postorder)




Printing Arithmetic Expressions

- Specialization of an inorder traversal
 - print operand or operator when visiting node
 - print "(" before traversing left subtree
 - print ")" after traversing right subtree

```


Algorithm printExpression( $v$ )
    if isInternal ( $v$ )
        print("(")
        inOrder (leftChild ( $v$ ))
        print( $v$ .element ())
    if isInternal ( $v$ )
        inOrder (rightChild ( $v$ ))
        print(")")
    
```



$$((2 \times (a - 1)) + (3 \times b))$$


Linked Data Structure for Representing Trees (§2.3.4)

- A node is represented by an object storing
 - Element
 - Parent node
 - Sequence of children nodes
- Node objects implement the Position ADT




Linked Data Structure for Binary Trees

- A node is represented by an object storing
 - Element
 - Parent node
 - Left child node
 - Right child node
- Node objects implement the Position ADT



Array-Based Representation of Binary Trees

◆ nodes are stored in an array



■ let rank(node) be defined as follows:

- rank(root) = 1
- if node is the left child of parent(node),
 $\text{rank}(\text{node}) = 2 * \text{rank}(\text{parent}(\text{node}))$
- if node is the right child of parent(node),
 $\text{rank}(\text{node}) = 2 * \text{rank}(\text{parent}(\text{node})) + 1$

